

2020 TOW RATINGS

LEGEND

CONFIGURATIONS

AWD	All-Wheel Drive
FWD	Front-Wheel Drive
RWD	Rear-Wheel Drive
CC	Crew Cab
DC	Double Cab
Ext	Extended Cab
QC	Quad Cab
SB	Shortbed (less than 6 feet)
Std Bed	Standard Bed (approximately 6 feet)
LB	Longbed (8 feet)

DRW	Dual Rear Wheels
SRW	Single Rear Wheels
CV	Cargo Van
CrV	Crew Van
PV	Passenger Van
RWB	Regular Wheelbase
SWB	Short Wheelbase
LWB	Long Wheelbase
LR	Low Roof
MR	Medium Roof
HR	High Roof

ENGINES

I-4	Inline Four Cylinder
I-6	Inline Six Cylinder
H-4	Horizontal Four Cylinder
HEV	Hybrid Electric Vehicle
HO	High Output
TD	Turbo Diesel
TC	Turbocharged
SC	Supercharged

TRANSMISSIONS

a	Automatic Transmission
a6	Automatic Transmission, 6 Speeds
a8	Automatic Transmission, 8 Speeds
a10	Automatic Transmission, 10 speeds
m	Manual Transmission

FINAL DRIVE RATIOS

c	3.15:1
d	3.21:1
f	3.31:1
h	3.55:1
i	3.73:1
j	3.92:1
k	4.10:1
l	4.30:1

PACKAGES

p	Payload or Other Package Required
t	Towing Package Required

OTHER

NA	Not Applicable or Not Available
Forward Slash (/)	Either/Or
Comma (,)	More than 1 Footnote Applies

VEHICLE ENGINE TOW LIMIT (lbs.)

ACURA

MDX	3.5L V-6	3,500
MDX SH-AWD	3.5L V-6	5,000

AUDI

e-tron	Electric	4,000 t
Q5	2.0L I-4 TC	4,400 t
SQ5	3.0L V-6 TC	4,400 t
Q7	2.0L I-4 TC	4,400 t
Q7	3.0L V-6 SC	7,700 t
Q8	3.0L V-6 TC	7,700 t

BMW

X1	2.0L I-4 TC	3,968
X2	2.0L I-4 TC	3,500
X3	All	4,400
X4	All	4,400
X5	3.0L V-6 TC	6,603
X5	4.4L V-8 TC	7,200*
X6	3.0L V-6 TC	7,500
X6	4.4L V-8 TC	6,000
X7	3.0L V-6 TC	5,400
X7	4.4L V-8 TC	5,950

*With dealer-installed Class III hitch

BUICK

Enclave FWD/AWD	3.6L V-6	5,000 t
-----------------	----------	---------

CADILLAC

Escalade 2WD	6.2L V-8	8,300
Escalade AWD	6.2L V-8	8,100
Escalade ESV 2WD	6.2L V-8	8,100
Escalade ESV AWD	6.2L V-8	7,900
XT5 FWD/AWD	3.6L V-6	3,500 t

CHEVROLET/GMC

CHEVROLET BLAZER

Blazer AWD	3.6L V-6	4,500 t
------------	----------	---------

CHEVROLET COLORADO/GMC CANYON

Colorado/Canyon Ext Cab 2WD/4WD	2.5L I-4	3,500
Colorado/Canyon Ext Cab 2WD/4WD	2.8L TD	7,700
Colorado/Canyon Ext Cab 2WD/4WD	3.6L V-6	7,000
Colorado/Canyon CC SB 2WD	2.5L I-4	3,500
Colorado/Canyon CC SB 2WD	2.8L TD	7,700
Colorado/Canyon CC SB 2WD	3.6L V-6	7,000
Colorado/Canyon CC SB 4WD	2.8L TD	7,600
Colorado/Canyon CC SB 4WD	3.6L V-6	7,000
Colorado/Canyon CC Std Bed 2WD	2.8L TD	7,700

2020 TOW RATINGS

Colorado/Canyon CC Std Bed 2WD	3.6L V-6	7,000
Colorado/Canyon CC Std Bed 4WD	2.8L TD	7,600
Colorado/Canyon CC Std Bed 4WD	3.6L V-6	7,000

CHEVROLET EQUINOX/GMC TERRAIN

Equinox/Terrain FWD/AWD	2.0L I-4 TC	3,500 t
-------------------------	-------------	---------

CHEVROLET EXPRESS/GMC SAVANA

Express/Savana 2500 SWB CV	4.3L V-6	7,400
Express/Savana 2500 SWB CV	6.0L V-8	10,000
Express/Savana 2500 SWB CV	2.8L I-4 TD	6,800
Express/Savana 2500 LWB CV	4.3L V-6	6,900
Express/Savana 2500 LWB CV	6.0L V-8	9,800
Express/Savana 2500 LWB CV	2.8L I-4 TD	6,500
Express/Savana 2500 SWB PV	4.3L V-6	6,500
Express/Savana 2500 SWB PV	6.0L V-8	9,400
Express/Savana 2500 SWB PV	2.8L I-4 TD	6,100
Express/Savana 3500 SWB CV	4.3L V-6	7,200
Express/Savana 3500 SWB CV	6.0L V-8	10,000
Express/Savana 3500 SWB CV	2.8L I-4 TD	6,800
Express/Savana 3500 LWB CV	4.3L V-6	7,000
Express/Savana 3500 LWB CV	6.0L V-8	9,900
Express/Savana 3500 LWB CV	2.8L I-4 TD	6,500
Express/Savana 3500 LWB PV	4.3L V-6	6,100
Express/Savana 3500 LWB PV	6.0L V-8	9,000
Express/Savana 3500 LWB PV	2.8L I-4 TD	5,700

CHEVROLET SILVERADO/GMC SIERRA 1500 REGULAR CAB

1500 Reg Cab LB 2WD	4.3L V-6	7,900
1500 Reg Cab LB 2WD	5.3L V-8	10,000
1500 Reg Cab LB 4WD	4.3L V-6	7,700
1500 Reg Cab LB 4WD	5.3L V-8	9,800

CHEVROLET SILVERADO/GMC SIERRA 1500 DOUBLE CAB

1500 DC 2WD	4.3L V-6	7,700
1500 DC 2WD	2.7L I-4 TC	7,000/6,900
1500 DC 2WD	5.3L V-8	9,800 a6
1500 DC 2WD	5.3L V-8	9,900/9,600 a8
1500 DC 2WD	5.3L V-8	11,600/11,300 a8,t
1500 DC 2WD	3.0L V-6 TD	7,600
1500 DC 4WD	4.3L V-6	7,500
1500 DC 4WD	4.3L V-6	7,400*
1500 DC 4WD	2.7L I-4 TC	6,700
1500 DC 4WD	5.3L V-8	9,600 a6
1500 DC 4WD	5.3L V-8	9,500 a6*
1500 DC 4WD	5.3L V-8	9,700/9,600 a8
1500 DC 4WD	5.3L V-8	9,500/9,300 a8*
1500 DC 4WD	5.3L V-8	11,400/11,100 a8,t
1500 DC 4WD	6.2L V-8	9,300
1500 DC 4WD	6.2L V-8	12,100 t
1500 DC 4WD	6.2L V-8	13,400 t,p**
1500 DC 4WD	3.0L V-6 TD	9,300/9,100

*Silverado Trail Boss model. **Silverado RST model

CHEVROLET SILVERADO/GMC SIERRA 1500 CREW CAB

1500 CC SB 2WD	4.3L V-6	7,700
1500 CC SB 2WD	2.7L I-4 TC	6,800
1500 CC SB 2WD	5.3L V-8	9,700 a6
1500 CC SB 2WD	5.3L V-8	9,800/9,600 a8
1500 CC SB 2WD	5.3L V-8	11,500/11,300 a8,t
1500 CC SB 2WD	3.0L V-6 TD	7,600/7,400
1500 CC SB 4WD	4.3L V-6	7,500
1500 CC SB 4WD	4.3L V-6	7,400*
1500 CC SB 4WD	2.7L I-4 TC	6,600
1500 CC SB 4WD	5.3L V-8	9,500/9,600 a6
1500 CC SB 4WD	5.3L V-8	9,600/9,200 a8
1500 CC SB 4WD	5.3L V-8	9,300 a8*
1500 CC SB 4WD	5.3L V-8	9,800**
1500 CC SB 4WD	5.3L V-8	11,300/11,100 a8,t
1500 CC SB 4WD	6.2L V-8	9,200/8,800
1500 CC SB 4WD	6.2L V-8	9,200**
1500 CC SB 4WD	6.2L V-8	12,000 t
1500 CC SB 4WD	3.0L V-6 TD	9,300/9,000
1500 CC Std Bed 2WD	4.3L V-6	7,600
1500 CC Std Bed 2WD	2.7L I-4 TC	6,800
1500 CC Std Bed 2WD	5.3L V-8	9,600 a6
1500 CC Std Bed 2WD	5.3L V-8	9,700 a8
1500 CC Std Bed 2WD	5.3L V-8	11,400 a8,t
1500 CC Std Bed 2WD	6.2L V-8	9,100
1500 CC Std Bed 2WD	6.2L V-8	11,900 t
1500 CC Std Bed 2WD	3.0L V-6 TD	7,500
1500 CC Std Bed 4WD	4.3L V-6	7,400
1500 CC Std Bed 4WD	4.3L V-6	7,300*
1500 CC Std Bed 4WD	2.7L I-4 TC	6,600
1500 CC Std Bed 4WD	5.3L V-8	9,500 a6
1500 CC Std Bed 4WD	5.3L V-8	9,400 a6*
1500 CC Std Bed 4WD	5.3L V-8	9,500/9,200 a8
1500 CC Std Bed 4WD	5.3L V-8	11,300/11,100 a8,t
1500 CC Std Bed 4WD	6.2L V-8	9,100/9,000
1500 CC Std Bed 4WD	6.2L V-8	9,200**
1500 CC Std Bed 4WD	6.2L V-8	11,900/12,000 t
1500 CC Std Bed 4WD	3.0L V-6 TD	9,200/9,000

*Silverado Trail Boss model. **Sierra AT4 model

Note: Ratings for Sierra Denali models may vary slightly. See dealer for details.

CHEVROLET SILVERADO/GMC SIERRA 2500

CONVENTIONAL/FIFTH-WHEEL TOWING

2500 Reg Cab LB 2WD	6.6L V-8	14,500/17,370
2500 Reg Cab LB 2WD	6.6L V-8 TD	14,500/18,510
2500 Reg Cab LB 4WD	6.6L V-8	14,500/17,060
2500 Reg Cab LB 4WD	6.6L V-8 TD	14,500/18,190
2500 DC Std Bed 2WD	6.6L V-8	14,500/17,050
2500 DC Std Bed 2WD	6.6L V-8 TD	14,500/18,200
2500 DC Std Bed 4WD	6.6L V-8	14,500/16,740
2500 DC Std Bed 4WD	6.6L V-8 TD	14,500/17,890
2500 DC LB 2WD	6.6L V-8	14,500/16,930
2500 DC LB 2WD	6.6L V-8 TD	14,500/18,040
2500 DC LB 4WD	6.6L V-8	14,500/16,740

2500 DC LB 4WD	6.6L V-8 TD	14,500/17,750
2500 CC Std Bed 2WD	6.6L V-8	14,500/16,940
2500 CC Std Bed 2WD	6.6L V-8 TD	14,500/18,500
2500 CC Std Bed 4WD	6.6L V-8	14,500/16,650
2500 CC Std Bed 4WD	6.6L V-8 TD	14,500/18,500
2500 CC LB 2WD	6.6L V-8	14,500/16,840
2500 CC LB 2WD	6.6L V-8 TD	14,500/18,500
2500 CC LB 4WD	6.6L V-8	14,500/16,650
2500 CC LB 4WD	6.6L V-8 TD	14,500/18,500

Note: Ratings for Sierra Denali HD models may vary slightly. See dealer for details.

**CHEVROLET SILVERADO/GMC SIERRA 3500
CONVENTIONAL/FIFTH-WHEEL TOWING**

3500 Reg Cab SRW 2WD	6.6L V-8	14,500/17,200
3500 Reg Cab SRW 2WD	6.6L V-8 TD	14,500/21,500
3500 Reg Cab SRW 4WD	6.6L V-8	14,500/16,950
3500 Reg Cab SRW 4WD	6.6L V-8 TD	14,500/21,500
3500 Reg Cab DRW 2WD	6.6L V-8	16,800
3500 Reg Cab DRW 2WD	6.6L V-8 TD	20,000/35,500*
3500 Reg Cab DRW 4WD	6.6L V-8	16,800/16,710
3500 Reg Cab DRW 4WD	6.6L V-8 TD	20,000/31,760
3500 DC LB SRW 2WD	6.6L V-8	14,500/16,700
3500 DC LB SRW 2WD	6.6L V-8 TD	14,500/21,490
3500 DC LB SRW 4WD	6.6L V-8	14,500/16,500
3500 DC LB SRW 4WD	6.6L V-8 TD	14,500/21,210
3500 DC LB DRW 2WD	6.6L V-8	16,400
3500 DC LB DRW 2WD	6.6L V-8 TD	16,300/31,500
3500 DC LB DRW 4WD	6.6L V-8	16,390/16,270
3500 DC LB DRW 4WD	6.6L V-8 TD	20,000/31,340
3500 CC Std Bed SRW 2WD	6.6L V-8	14,500/16,700
3500 CC Std Bed SRW 2WD	6.6L V-8 TD	20,000/21,500
3500 CC Std Bed SRW 4WD	6.6L V-8	14,500/16,530
3500 CC Std Bed SRW 4WD	6.6L V-8 TD	20,000/21,300
3500 CC LB SRW 2WD	6.6L V-8	14,500/16,700
3500 CC LB SRW 2WD	6.6L V-8 TD	20,000/21,300
3500 CC LB SRW 4WD	6.6L V-8	14,500/16,410
3500 CC LB SRW 4WD	6.6L V-8 TD	20,000/21,040
3500 CC LB DRW 2WD	6.6L V-8	16,300/16,200
3500 CC LB DRW 2WD	6.6L V-8 TD	20,000/31,400
3500 CC LB DRW 4WD	6.6L V-8	16,300/16,180
3500 CC LB DRW 4WD	6.6L V-8 TD	20,000/31,180

*When equipped with gooseneck hitch. Rating is 32,000 lbs. with fifth-wheel hitch.

Note: Ratings for Sierra Denali HD models may vary slightly. See dealer for details.

**CHEVROLET TAHOE/GMC YUKON,
CHEVROLET SUBURBAN/GMC YUKON XL**

Tahoe/Yukon 2WD	5.3L V-8	6,600
Tahoe/Yukon 2WD	5.3L V-8	8,600 t
Tahoe/Yukon 4WD	5.3L V-8	6,400
Tahoe/Yukon 4WD	5.3L V-8	8,400 t
Tahoe/Yukon 2WD	6.2L V-8	8,400
Tahoe/Yukon 4WD	6.2L V-8	8,100
Suburban/Yukon XL 2WD	5.3L V-8	6,300
Suburban/Yukon XL 2WD	5.3L V-8	8,300 t

Suburban/Yukon XL 4WD	5.3L V-8	6,000
Suburban/Yukon XL 4WD	5.3L V-8	8,000 t
Suburban/Yukon XL 2WD	6.2L V-8	8,100
Suburban/Yukon XL 4WD	6.2L V-8	7,900

Note: Ratings for Yukon Denali models may vary slightly. See dealer for details.

CHEVROLET TRAVERSE/GMC ACADIA

Traverse/Acadia	3.6L V-6	5,000 t/4,000 t
-----------------	----------	-----------------

CHRYSLER

Pacifica	3.6L V-6	3,600
Voyager	3.6L V-6	3,600

DODGE

Durango RWD	3.6L V-6	6,200 t
Durango RWD	5.7L V-8	7,400 t
Durango AWD	3.6L V-6	6,200 t
Durango AWD	5.7L V-8	7,200 t
Durango AWD	6.4L V-8	8,700 t

FORD

ECOSPORT, EDGE, ESCAPE, EXPLORER, EXPEDITION

EcoSport 4WD	2.0L I-4	2,000
Edge AWD	2.0L I-4 TC	3,500 t
Edge ST	2.7L V-6 TC	3,500
Escape FWD/AWD	All except Hybrid	2,000
Escape FWD/AWD	2.0L I-4 TC	3,500 t
Explorer RWD	2.3L I-4 TC	3,000
Explorer RWD	2.3L I-4 TC	5,300 t
Explorer 4WD	3.0L V-6 TC	5,600
Explorer 4WD	3.3L V-6	3,000
Explorer 4WD	3.3L V-6	5,600 t
Explorer Hybrid RWD/4WD	3.3L HEV V-6	3,000
Explorer Hybrid RWD/4WD	3.3L HEV V-6	5,000 t
Expedition 2WD	3.5L V-6 TC	6,000 c/f
Expedition 2WD	3.5L V-6 TC	9,300 i,t
Expedition 4WD	3.5L V-6 TC	6,000 f/i
Expedition 4WD	3.5L V-6 TC	9,000 i,t
Expedition Max 2WD	3.5L V-6 TC	6,300
Expedition Max 2WD	3.5L V-6 TC	9,000 t
Expedition Max 4WD	3.5L V-6 TC	6,000 f/i
Expedition Max 4WD	3.5L V-6 TC	9,000 i,t

F-150 REGULAR CAB CONVENTIONAL/FIFTH-WHEEL TOWING

F-150 Reg Cab Std Bed 2WD	3.3L V-6	5,100/5,000 h
F-150 Reg Cab Std Bed 2WD	3.3L V-6	7,700/7,600 i
F-150 Reg Cab Std Bed 2WD	5.0L V-8	8,400 c/f
F-150 Reg Cab Std Bed 2WD	5.0L V-8	9,200 h
F-150 Reg Cab Std Bed 2WD	2.7L V-6 TC	7,600 f
F-150 Reg Cab Std Bed 2WD	2.7L V-6 TC	8,500 i
F-150 Reg Cab Std Bed 4WD	3.3L V-6	5,000 h
F-150 Reg Cab Std Bed 4WD	3.3L V-6	7,500 i
F-150 Reg Cab Std Bed 4WD	5.0L V-8	8,300 f/i
F-150 Reg Cab Std Bed 4WD	5.0L V-8	9,700/9,400 i

2020 TOW RATINGS

F-150 Reg Cab Std Bed 4WD	2.7L V-6 TC	7,600/7,500 h
F-150 Reg Cab Std Bed 4WD	2.7L V-6 TC	8,400/8,300 i
F-150 Reg Cab LB 2WD	3.3L V-6	5,100/5,000 h
F-150 Reg Cab LB 2WD	3.3L V-6	7,700/7,600 i
F-150 Reg Cab LB 2WD	5.0L V-8	9,200 c/f
F-150 Reg Cab LB 2WD	5.0L V-8	10,200 h
F-150 Reg Cab LB 2WD	5.0L V-8	11,000/10,900 i,p
F-150 Reg Cab LB 2WD	2.7L V-6 TC	7,600/7,500 f
F-150 Reg Cab LB 2WD	2.7L V-6 TC	8,500 i,p
F-150 Reg Cab LB 2WD	3.5L V-6 TC	10,500/10,400 c/h
F-150 Reg Cab LB 2WD	3.5L V-6 TC	12,000/11,900 h,t
F-150 Reg Cab LB 4WD	3.3L V-6	7,400 i
F-150 Reg Cab LB 4WD	5.0L V-8	9,000/9,100 f/h
F-150 Reg Cab LB 4WD	5.0L V-8	11,200 i
F-150 Reg Cab LB 4WD	2.7L V-6 TC	7,600/7,500 h
F-150 Reg Cab LB 4WD	2.7L V-6 TC	8,300/8,200 i
F-150 Reg Cab LB 4WD	2.7L V-6 TC	9,000/8,900 i,p
F-150 Reg Cab LB 4WD	3.5L V-6 TC	10,600 f/h
F-150 Reg Cab LB 4WD	3.5L V-6 TC	11,800/11,700 h,t

F-150 SUPERCAB CONVENTIONAL/FIFTH-WHEEL TOWING

F-150 SuperCab Std Bed 2WD	3.3L V-6	5,000 h
F-150 SuperCab Std Bed 2WD	3.3L V-6	7,400 i
F-150 SuperCab Std Bed 2WD	5.0L V-8	9,200/9,100 c/f
F-150 SuperCab Std Bed 2WD	5.0L V-8	10,200/10,100 h
F-150 SuperCab Std Bed 2WD	3.0L V-6 TD	10,100 f/9,300 f/h
F-150 SuperCab Std Bed 2WD	3.0L V-6 TD	11,500 h
F-150 SuperCab Std Bed 2WD	2.7L V-6 TC	7,700 h
F-150 SuperCab Std Bed 2WD	2.7L V-6 TC	8,300/8,200 i,p
F-150 SuperCab Std Bed 2WD	3.5L V-6 TC	10,500/10,000 c/h
F-150 SuperCab Std Bed 2WD	3.5L V-6 TC	11,800 h,t/NA
F-150 SuperCab Std Bed 4WD	3.3L V-6	7,400/7,300 i
F-150 SuperCab Std Bed 4WD	5.0L V-8	9,100 f/h
F-150 SuperCab Std Bed 4WD	5.0L V-8	11,300/11,000 i
F-150 SuperCab Std Bed 4WD	3.0L V-6 TD	10,200/8,200 f/h
F-150 SuperCab Std Bed 4WD	3.0L V-6 TD	11,300 h/NA
F-150 SuperCab Std Bed 4WD	2.7L V-6 TC	7,600 h
F-150 SuperCab Std Bed 4WD	2.7L V-6 TC	8,000/7,900 i
F-150 SuperCab Std Bed 4WD	2.7L V-6 TC	9,000 i,p
F-150 SuperCab Std Bed 4WD	3.5L V-6 TC	10,500/9,800 f/h
F-150 SuperCab Std Bed 4WD	3.5L V-6 TC	11,500 h,t/NA
F-150 SuperCab Raptor 4WD	3.5L V-6 TC	6,000 k/NA
F-150 SuperCab LB 2WD	5.0L V-8	9,100 c/f
F-150 SuperCab LB 2WD	5.0L V-8	10,100 h
F-150 SuperCab LB 2WD	5.0L V-8	11,000/10,900 i,p
F-150 SuperCab LB 2WD	2.7L V-6 TC	7,500/7,400 h
F-150 SuperCab LB 2WD	2.7L V-6 TC	8,200/8,000 i
F-150 SuperCab LB 2WD	2.7L V-6 TC	9,000 i,p
F-150 SuperCab LB 2WD	3.5L V-6 TC	10,400 c/h
F-150 SuperCab LB 2WD	3.5L V-6 TC	11,600 h/t/11,500 i,p,t
F-150 SuperCab LB 4WD	5.0L V-8	9,000/8,900 f
F-150 SuperCab LB 4WD	5.0L V-8	9,100 h
F-150 SuperCab LB 4WD	5.0L V-8	10,700/10,600 i
F-150 SuperCab LB 4WD	5.0L V-8	11,200 i,p/NA

F-150 SuperCab LB 4WD	3.5L V-6 TC	10,500/9,100 f/h
F-150 SuperCab LB 4WD	3.5L V-6 TC	11,400 h,t/11,300 i,p,t

F-150 SUPERCREW CONVENTIONAL/FIFTH-WHEEL TOWING

F-150 SuperCrew SB 2WD	3.3L V-6	5,000 h
F-150 SuperCrew SB 2WD	3.3L V-6	7,400 i
F-150 SuperCrew SB 2WD	5.0L V-8	9,100/9,000 c/f
F-150 SuperCrew SB 2WD	5.0L V-8	10,100/10,000 h
F-150 SuperCrew SB 2WD	3.0L V-6 TD	10,200 f/9,000 f/h
F-150 SuperCrew SB 2WD	3.0L V-6 TD	11,200 h/NA
F-150 SuperCrew SB 2WD	2.7L V-6 TC	7,700 h/7,700 h/i
F-150 SuperCrew SB 2WD	2.7L V-6 TC	8,200/8,100 i,p
F-150 SuperCrew SB 2WD	3.5L V-6 TC	10,500/9,200 c/h
F-150 SuperCrew SB 2WD	3.5L V-6 TC	11,000 h*/NA
F-150 SuperCrew SB 2WD	3.5L V-6 TC	12,500 h,t/NA
F-150 SuperCrew SB 4WD	3.3L V-6	7,400/7,300 i
F-150 SuperCrew SB 4WD	5.0L V-8	9,000 f
F-150 SuperCrew SB 4WD	5.0L V-8	9,100 h
F-150 SuperCrew SB 4WD	5.0L V-8	10,900/10,500 i
F-150 SuperCrew SB 4WD	3.0L V-6 TD	10,300/8,000 f/h
F-150 SuperCrew SB 4WD	3.0L V-6 TD	11,300 h**/NA
F-150 SuperCrew SB 4WD	2.7L V-6 TC	7,600/7,500 h
F-150 SuperCrew SB 4WD	2.7L V-6 TC	8,000/7,600 i
F-150 SuperCrew SB 4WD	2.7L V-6 TC	8,900 i,p
F-150 SuperCrew SB 4WD	3.5L V-6 TC	10,500/8,600 f/h
F-150 SuperCrew SB 4WD	3.5L V-6 TC	12,500 h,t/NA
F-150 SuperCrew Raptor 4WD	3.5L V-6 TC	8,000 k/NA
F-150 SuperCrew Std Bed 2WD	5.0L V-8	9,100/9,000 c/f
F-150 SuperCrew Std Bed 2WD	5.0L V-8	10,100/10,000 h
F-150 SuperCrew Std Bed 2WD	5.0L V-8	10,900 i,p
F-150 SuperCrew Std Bed 2WD	3.0L V-6 TD	11,400 h/8,600 f/h
F-150 SuperCrew Std Bed 2WD	2.7L V-6 TC	7,700/7,600 h
F-150 SuperCrew Std Bed 2WD	2.7L V-6 TC	8,200/8,000 i
F-150 SuperCrew Std Bed 2WD	2.7L V-6 TC	9,000/8,900 i,p
F-150 SuperCrew Std Bed 2WD	3.5L V-6 TC	10,500 c/h
F-150 SuperCrew Std Bed 2WD	3.5L V-6 TC	13,200 h,t/NA
F-150 SuperCrew Std Bed 2WD	3.5L V-6 TC	11,500 i,p,t
F-150 SuperCrew Std Bed 4WD	5.0L V-8	9,000/8,900 f
F-150 SuperCrew Std Bed 4WD	5.0L V-8	9,100/9,000 h
F-150 SuperCrew Std Bed 4WD	5.0L V-8	11,500 i/10,700 i,p
F-150 SuperCrew Std Bed 4WD	3.0L V-6 TD	10,300/8,000 f/h
F-150 SuperCrew Std Bed 4WD	3.0L V-6 TD	11,300 h,t/NA
F-150 SuperCrew Std Bed 4WD	3.5L V-6 TC	10,500/9,000 f/h
F-150 SuperCrew Std Bed 4WD	3.5L V-6 TC	12,700 h,t/11,300 i,p,t

*Limited model only. **Electronic shift-on-the-fly transmission

F-250 REGULAR CAB CONVENTIONAL TOWING, WEIGHT CARRYING/WEIGHT DISTRIBUTING

F-250 Reg Cab 2WD	6.2L V-8	13,000/13,300 i
F-250 Reg Cab 2WD	6.2L V-8	13,000/14,000 i
F-250 Reg Cab 2WD	6.7L V-8 TD	14,000/15,000 f
F-250 Reg Cab 2WD	6.7L V-8 TD	14,000/15,200 f/h,t
F-250 Reg Cab 2WD	7.3L V-8	13,000/14,000 h/t,i,t
F-250 Reg Cab 4WD	6.2L V-8	12,900 i

F-250 Reg Cab 4WD	6.2L V-8	14,000/15,000 l
F-250 Reg Cab 4WD	6.7L V-8 TD	14,000/15,000 f/h,t
F-250 Reg Cab 4WD	7.3L V-8	14,000/15,000 h/l,t

**F-250 SUPERCAB CONVENTIONAL TOWING,
WEIGHT CARRYING/WEIGHT DISTRIBUTING**

F-250 SuperCab Std Bed 2WD	6.2L V-8	13,000 i
F-250 SuperCab Std Bed 2WD	6.2L V-8	13,000/14,000 l
F-250 SuperCab Std Bed 2WD	6.7L V-8 TD	14,000/15,000 f
F-250 SuperCab Std Bed 2WD	6.7L V-8 TD	14,000/15,200 f/h,t
F-250 SuperCab Std Bed 2WD	7.3L V-8	13,000/14,000 h/l,t
F-250 SuperCab Std Bed 4WD	6.2L V-8	12,600 i
F-250 SuperCab Std Bed 4WD	6.2L V-8	14,000/15,000 l
F-250 SuperCab Std Bed 4WD	6.7L V-8 TD	14,000/15,000 f/h,t
F-250 SuperCab Std Bed 4WD	7.3L V-8	14,000/14,800 h
F-250 SuperCab Std Bed 4WD	7.3L V-8	14,000/15,000 l,t
F-250 SuperCab LB 2WD	6.2L V-8	12,900 i
F-250 SuperCab LB 2WD	6.2L V-8	14,000/15,000 l
F-250 SuperCab LB 2WD	6.7L V-8 TD	15,000 f
F-250 SuperCab LB 2WD	6.7L V-8 TD	15,200 f/h,t
F-250 SuperCab LB 2WD	7.3L V-8 TD	14,000/15,000 h/l,t
F-250 SuperCab LB 4WD	6.2L V-8	12,500 i
F-250 SuperCab LB 4WD	6.2L V-8	15,000 l
F-250 SuperCab LB 4WD	6.7L V-8 TD	15,000 h
F-250 SuperCab LB 4WD	6.7L V-8 TD	20,000 f/h,t
F-250 SuperCab LB 4WD	7.3L V-8	14,700 h
F-250 SuperCab LB 4WD	7.3L V-8	15,000 l

**F-250 CREW CAB CONVENTIONAL TOWING,
WEIGHT CARRYING/WEIGHT DISTRIBUTING**

F-250 CC Std Bed 2WD	6.2L V-8	12,900 i
F-250 CC Std Bed 2WD	6.2L V-8	14,000/15,000 l
F-250 CC Std Bed 2WD	6.7L V-8 TD	15,000 f
F-250 CC Std Bed 2WD	6.7L V-8 TD	15,200 f,t/15,200 h,t
F-250 CC Std Bed 2WD	7.3L V-8	14,000 h/15,000 h/l,t
F-250 CC Std Bed 4WD	6.2L V-8	12,500 i
F-250 CC Std Bed 4WD	6.2L V-8	15,000 l
F-250 CC Std Bed 4WD	6.7L V-8 TD	15,000 f
F-250 CC Std Bed 4WD	6.7L V-8 TD	20,000 f/h,t
F-250 CC Std Bed Tremor 4WD	6.7L V-8 TD	15,000 f/h,t
F-250 CC Std Bed 4WD	7.3L V-8	14,700 h
F-250 CC Std Bed 4WD	7.3L V-8	15,000 l,t
F-250 CC LB 2WD	6.2L V-8	12,700 i
F-250 CC LB 2WD	6.2L V-8	15,000 l
F-250 CC LB 2WD	6.7L V-8 TD	15,900 f,p
F-250 CC LB 2WD	6.7L V-8 TD	18,200 f/h,t
F-250 CC LB 2WD	7.3L V-8	14,900 h
F-250 CC LB 2WD	7.3L V-8	15,000 l,t
F-250 CC LB 4WD	6.2L V-8	12,300 i
F-250 CC LB 4WD	6.2L V-8	14,800 l
F-250 CC LB 4WD	6.7L V-8 TD	15,400 f,p
F-250 CC LB 4WD	6.7L V-8 TD	20,000 f/h,t
F-250 CC LB 4WD	7.3L V-8	14,500 h
F-250 CC LB 4WD	7.3L V-8	15,000 l,t

F-250 REGULAR CAB FIFTH-WHEEL/GOOSENECK TOWING

F-250 Reg Cab 2WD	6.2L V-8	13,000 i
F-250 Reg Cab 2WD	6.2L V-8	15,800 l
F-250 Reg Cab 2WD	6.7L V-8 TD	16,400 f
F-250 Reg Cab 2WD	6.7L V-8 TD	22,800 f,t*
F-250 Reg Cab 2WD	7.3L V-8	15,400 h
F-250 Reg Cab 2WD	7.3L V-8	19,600 l,p,t*
F-250 Reg Cab 4WD	6.2L V-8	12,800 i
F-250 Reg Cab 4WD	6.2L V-8	15,300 l
F-250 Reg Cab 4WD	6.7L V-8 TD	16,000 f
F-250 Reg Cab 4WD	6.7L V-8 TD	21,800 f,t*
F-250 Reg Cab 4WD	7.3L V-8	15,000 h
F-250 Reg Cab 4WD	7.3L V-8	19,200 l,p,t*

F-250 SUPERCAB FIFTH-WHEEL/GOOSENECK TOWING

F-250 SuperCab Std Bed 2WD	6.2L V-8	13,000 i
F-250 SuperCab Std Bed 2WD	6.2L V-8	15,000 l
F-250 SuperCab Std Bed 2WD	6.7L V-8 TD	16,200 f
F-250 SuperCab Std Bed 2WD	6.7L V-8 TD	22,000 f,t*
F-250 SuperCab Std Bed 2WD	7.3L V-8	15,200 h
F-250 SuperCab Std Bed 2WD	7.3L V-8	19,400 l,p,t*
F-250 SuperCab Std Bed 4WD	6.2L V-8	12,500 i
F-250 SuperCab Std Bed 4WD	6.2L V-8	15,100 l
F-250 SuperCab Std Bed 4WD	6.7L V-8 TD	15,500 f
F-250 SuperCab Std Bed 4WD	6.7L V-8 TD	20,100 f/h,t*
F-250 SuperCab Std Bed 4WD	7.3L V-8	14,700 h
F-250 SuperCab Std Bed 4WD	7.3L V-8	18,900 l,p,t*
F-250 SuperCab LB 2WD	6.2L V-8	12,900 i
F-250 SuperCab LB 2WD	6.2L V-8	15,400 l
F-250 SuperCab LB 2WD	6.7L V-8 TD	16,000 f
F-250 SuperCab LB 2WD	6.7L V-8 TD	21,900 f/h,t*
F-250 SuperCab LB 2WD	7.3L V-8	15,100 h
F-250 SuperCab LB 2WD	7.3L V-8	19,300 l,p,t*
F-250 SuperCab LB 4WD	6.2L V-8	12,500 i
F-250 SuperCab LB 4WD	6.2L V-8	15,000 l
F-250 SuperCab LB 4WD	6.7L V-8 TD	14,700 f
F-250 SuperCab LB 4WD	6.7L V-8 TD	19,100 f/h,t*
F-250 SuperCab LB 4WD	7.3L V-8	14,700 h
F-250 SuperCab LB 4WD	7.3L V-8	18,700 l,p,t*

F-250 CREW CAB FIFTH-WHEEL/GOOSENECK TOWING

F-250 CC Std Bed 2WD	6.2L V-8	12,900 i
F-250 CC Std Bed 2WD	6.2L V-8	15,400 l
F-250 CC Std Bed 2WD	6.7L V-8 TD	16,100 f
F-250 CC Std Bed 2WD	6.7L V-8 TD	21,700 f/h,t*
F-250 CC Std Bed 2WD	7.3L V-8	15,100 h
F-250 CC Std Bed 2WD	7.3L V-8	19,300 l,p,t*
F-250 CC Std Bed 4WD	6.2L V-8	12,500 i
F-250 CC Std Bed 4WD	6.2L V-8	15,000 l
F-250 CC Std Bed 4WD	6.7L V-8 TD	14,700 f
F-250 CC Std Bed 4WD	6.7L V-8 TD	19,100 f/h,t*
F-250 CC Std Bed Tremor 4WD	6.7L V-8 TD	12,100 f
F-250 CC Std Bed Tremor 4WD	6.7L V-8 TD	18,100 h*
F-250 CC Std Bed 4WD	7.3L V-8	14,700 h

2020 TOW RATINGS

F-250 CC Std Bed 4WD	7.3L V-8	17,500 l
F-250 CC Std Bed 4WD	7.3L V-8	18,700 l,p,t*
F-250 CC LB 2WD	6.2L V-8	12,700 i
F-250 CC LB 2WD	6.2L V-8	15,200 l
F-250 CC LB 2WD	6.7L V-8 TD	15,800 f
F-250 CC LB 2WD	6.7L V-8 TD	20,400 f/h,t*
F-250 CC LB 2WD	7.3L V-8	14,800 h
F-250 CC LB 2WD	7.3L V-8	19,000 l,p,t*
F-250 CC LB 4WD	6.2L V-8	12,200 i
F-250 CC LB 4WD	6.2L V-8	14,700 l
F-250 CC LB 4WD	6.7L V-8 TD	12,900 f
F-250 CC LB 4WD	6.7L V-8 TD	17,300 f/h,t
F-250 CC LB 4WD	7.3L V-8	14,400 h
F-250 CC LB 4WD	7.3L V-8	17,000 l,p,t

*Gooseneck tow rating shown. Fifth-wheel tow rating limited to fifth-wheel hitch rating of 18,000 lbs.

F-350 REGULAR CAB CONVENTIONAL TOWING, WEIGHT CARRYING/WEIGHT DISTRIBUTING

F-350 Reg Cab 2WD	6.2L V-8	13,000/13,200 i
F-350 Reg Cab 2WD	6.2L V-8	13,000/14,000 l
F-350 Reg Cab 2WD	6.7L V-8 TD	14,000/15,000 f/h
F-350 Reg Cab 2WD	7.3L V-8	13,000/14,000 i/l
F-350 Reg Cab 4WD	6.2L V-8	12,700 i
F-350 Reg Cab 4WD	6.2L V-8	14,000/15,000 l
F-350 Reg Cab 4WD	6.7L V-8 TD	14,000/15,000 f/h
F-350 Reg Cab 4WD	7.3L V-8	14,000/15,000 i/l

F-350 SUPERCAB CONVENTIONAL TOWING, WEIGHT CARRYING/WEIGHT DISTRIBUTING

F-350 SuperCab Std Bed 2WD	6.2L V-8	12,800 i
F-350 SuperCab Std Bed 2WD	6.2L V-8	13,000/14,000 l
F-350 SuperCab Std Bed 2WD	6.7L V-8 TD	14,000/15,000 f/h
F-350 SuperCab Std Bed 2WD	7.3L V-8	13,000/14,000 i/l
F-350 SuperCab Std Bed 4WD	6.2L V-8	12,400 i
F-350 SuperCab Std Bed 4WD	6.2L V-8	14,000/15,000 l
F-350 SuperCab Std Bed 4WD	6.7L V-8 TD	14,000/15,000 f/h
F-350 SuperCab Std Bed 4WD	7.3L V-8	14,000/15,000 i/l
F-350 SuperCab LB 2WD	6.2L V-8	12,700 i
F-350 SuperCab LB 2WD	6.2L V-8	15,000 l
F-350 SuperCab LB 2WD	6.7L V-8 TD	15,000 f/h
F-350 SuperCab LB 2WD	7.3L V-8	15,000 i/l
F-350 SuperCab LB 4WD	6.2L V-8	12,300 i,p
F-350 SuperCab LB 4WD	6.2L V-8	15,000 l
F-350 SuperCab LB 4WD	6.7L V-8 TD	20,000 f/h
F-350 SuperCab LB 4WD	7.3L V-8	15,000 i/l

F-350 CREW CAB CONVENTIONAL TOWING, WEIGHT CARRYING/WEIGHT DISTRIBUTING

F-350 CC Std Bed 2WD	6.2L V-8	12,700 i
F-350 CC Std Bed 2WD	6.2L V-8	15,000 l
F-350 CC Std Bed 2WD	6.7L V-8 TD	15,000 f/h
F-350 CC Std Bed 2WD	7.3L V-8	15,000 i/l

F-350 CC Std Bed 4WD	6.2L V-8	12,400 i
F-350 CC Std Bed 4WD	6.2L V-8	14,000/15,000 l
F-350 CC Std Bed 4WD	6.7L V-8 TD	14,000/15,000 f/h
F-350 CC Std Bed 4WD	7.3L V-8	14,000/15,000 i/l
F-350 CC LB 2WD	6.2L V-8	12,500 i
F-350 CC LB 2WD	6.2L V-8	15,000 l
F-350 CC LB 2WD	6.7L V-8 TD	18,200 f/h
F-350 CC LB 2WD	7.3L V-8	15,000 i/l
F-350 CC LB 4WD	6.2L V-8	12,000 i
F-350 CC LB 4WD	6.2L V-8	15,000 l
F-350 CC LB 4WD	6.7L V-8 TD	20,000 f/h
F-350 CC LB 4WD	7.3L V-8	15,000 i/l

F-350 REGULAR CAB SRW FIFTH-WHEEL/GOOSENECK TOWING

F-350 Reg Cab 2WD	6.2L V-8	13,100/13,000 i
F-350 Reg Cab 2WD	6.2L V-8	16,600/16,500 l
F-350 Reg Cab 2WD	6.7L V-8 TD	22,800/19,200 f/h,p*
F-350 Reg Cab 2WD	7.3L V-8	17,000 i
F-350 Reg Cab 2WD	7.3L V-8	21,000 l*
F-350 Reg Cab 4WD	6.2L V-8	12,500 i
F-350 Reg Cab 4WD	6.2L V-8	16,100 l
F-350 Reg Cab 4WD	6.7L V-8 TD	22,400 f/h,p*
F-350 Reg Cab 4WD	7.3L V-8	16,600 i
F-350 Reg Cab 4WD	7.3L V-8	20,600 l,p*

F-350 SUPERCAB SRW FIFTH-WHEEL/GOOSENECK TOWING

F-350 SuperCab Std Bed 2WD	6.2L V-8	12,800/12,700 i
F-350 SuperCab Std Bed 2WD	6.2L V-8	16,300/16,200 l
F-350 SuperCab Std Bed 2WD	6.7L V-8 TD	22,600/22,100 f/h*
F-350 SuperCab Std Bed 2WD	7.3L V-8	16,800/16,700 i
F-350 SuperCab Std Bed 2WD	7.3L V-8	20,800/20,700 l*
F-350 SuperCab Std Bed 4WD	6.2L V-8	12,400/12,300 i
F-350 SuperCab Std Bed 4WD	6.2L V-8	15,900/15,800 l
F-350 SuperCab Std Bed 4WD	6.7L V-8 TD	22,200/22,100 f/h*
F-350 SuperCab Std Bed 4WD	7.3L V-8	16,300 i
F-350 SuperCab Std Bed 4WD	7.3L V-8	20,300/19,200 l
F-350 SuperCab LB 2WD	6.2L V-8	12,700/12,600 i
F-350 SuperCab LB 2WD	6.2L V-8	16,200/16,100 l
F-350 SuperCab LB 2WD	6.7L V-8 TD	22,500/22,400 f/h*
F-350 SuperCab LB 2WD	7.3L V-8	16,700/16,600 i
F-350 SuperCab LB 2WD	7.3L V-8	20,700/20,600 l
F-350 SuperCab LB 4WD	6.2L V-8	12,300/12,200 i
F-350 SuperCab LB 4WD	6.2L V-8	15,800/15,700 l
F-350 SuperCab LB 4WD	6.7L V-8 TD	23,300/22,100 f/h*
F-350 SuperCab LB 4WD	7.3L V-8	16,200 i
F-350 SuperCab LB 4WD	7.3L V-8	20,200/18,500 l,p*

F-350 CREW CAB SRW FIFTH-WHEEL/GOOSENECK TOWING

F-350 CC Std Bed 2WD	6.2L V-8	12,500 i
F-350 CC Std Bed 2WD	6.2L V-8	16,100 l
F-350 CC Std Bed 2WD	6.7L V-8 TD	22,400/21,500 f/h*
F-350 CC Std Bed 2WD	7.3L V-8	16,600 i
F-350 CC Std Bed 2WD	7.3L V-8	20,600 l*

F-350 CC Std Bed 4WD	6.2L V-8	12,200 i
F-350 CC Std Bed 4WD	6.2L V-8	15,700 i
F-350 CC Std Bed 4WD	6.7L V-8 TD	22,000 f/h*
F-350 CC Std Bed Tremor 4WD	6.7L V-8 TD	21,900 f/h*
F-350 CC Std Bed 4WD	7.3L V-8	16,200/16,100 i
F-350 CC Std Bed 4WD	7.3L V-8	20,200/20,100 i*
F-350 CC LB 2WD	6.2L V-8	12,400 i
F-350 CC LB 2WD	6.2L V-8	15,900 i
F-350 CC LB 2WD	6.7L V-8 TD	22,200/22,100 f/h*
F-350 CC LB 2WD	7.3L V-8	16,400/16,300 i
F-350 CC LB 2WD	7.3L V-8	20,400/20,300 i*
F-350 CC LB 4WD	6.2L V-8	12,000/11,900 i
F-350 CC LB 4WD	6.2L V-8	15,500/15,400 i
F-350 CC LB 4WD	6.7L V-8 TD	21,700/21,300 f/h*
F-350 CC LB 4WD	7.3L V-8	16,000/15,900 i
F-350 CC LB 4WD	7.3L V-8	20,000/19,900

*Gooseneck tow rating shown. Fifth-wheel tow rating limited to fifth-wheel hitch rating of 18,000 lbs.

F-350/F-450 REGULAR CAB DRW CONVENTIONAL TOWING, WEIGHT CARRYING/WEIGHT DISTRIBUTING

F-350 Reg Cab 2WD	6.2L V-8	13,300 i
F-350 Reg Cab 2WD	6.2L V-8	16,700 i
F-350 Reg Cab 2WD	6.7L V-8 TD	18,000/21,000 h/k
F-350 Reg Cab 2WD	7.3L V-8	17,000/17,200 i
F-350 Reg Cab 2WD	7.3L V-8	17,000/21,000 i
F-450 Reg Cab 2WD	6.7L V-8 TD	21,200 i
F-350 Reg Cab 4WD	6.2L V-8	12,800 i
F-350 Reg Cab 4WD	6.2L V-8	16,300 i
F-350 Reg Cab 4WD	6.7L V-8 TD	18,000/20,000 h/k
F-350 Reg Cab 4WD	7.3L V-8	16,800 i
F-350 Reg Cab 4WD	7.3L V-8	18,000/20,000 i
F-450 Reg Cab 4WD	6.7L V-8 TD	21,200 i

F-350 SUPERCAB DRW CONVENTIONAL TOWING, WEIGHT CARRYING/WEIGHT DISTRIBUTING

F-350 SuperCab 2WD	6.2L V-8	12,700 i
F-350 SuperCab 2WD	6.2L V-8	16,200 i
F-350 SuperCab 2WD	6.7L V-8 TD	18,000/21,200 h/k
F-350 SuperCab 2WD	7.3L V-8	16,700 i
F-350 SuperCab 2WD	7.3L V-8	18,000 i
F-350 SuperCab 4WD	6.2L V-8	12,300 i
F-350 SuperCab 4WD	6.2L V-8	15,800 i
F-350 SuperCab 4WD	6.7L V-8 TD	19,000/21,000 h/k
F-350 SuperCab 4WD	7.3L V-8	16,300 i
F-350 SuperCab 4WD	7.3L V-8	18,000/20,000 i

F-350/F-450 CREW CAB DRW CONVENTIONAL TOWING, WEIGHT CARRYING/WEIGHT DISTRIBUTING

F-350 CC 2WD	6.2L V-8	12,500 i
F-350 CC 2WD	6.2L V-8	16,000 i
F-350 CC 2WD	6.7L V-8 TD	19,000/21,200 h/k

F-350 CC 2WD	7.3L V-8	16,500 i
F-350 CC 2WD	7.3L V-8	19,000/20,500 i
F-450 CC 2WD	6.7L V-8 TD	24,200 i
F-350 CC 4WD	6.2L V-8	12,100 i
F-350 CC 4WD	6.2L V-8	15,600 i
F-350 CC 4WD	6.7L V-8 TD	21,200 h/k
F-350 CC 4WD	7.3L V-8	16,100 i
F-350 CC 4WD	7.3L V-8	19,000/20,100 i
F-450 CC 4WD	6.7L V-8 TD	24,200 i

F-350/F-450 REGULAR CAB DRW FIFTH-WHEEL/GOOSENECK TOWING

F-350 Reg Cab 2WD	6.2L V-8	13,100/13,000 i
F-350 Reg Cab 2WD	6.2L V-8	16,600/16,500 i
F-350 Reg Cab 2WD	6.7L V-8 TD	22,800/19,200 f/h,p*
F-350 Reg Cab 2WD	7.3L V-8	17,000 i
F-350 Reg Cab 2WD	7.3L V-8	21,000 i*
F-350 Reg Cab 4WD	6.2L V-8	12,500 i
F-350 Reg Cab 4WD	6.2L V-8	16,100 i
F-350 Reg Cab 4WD	6.7L V-8 TD	22,400 f/h,p*
F-350 Reg Cab 4WD	7.3L V-8	16,600 i
F-350 Reg Cab 4WD	7.3L V-8	20,600 i,p*
F-350 Reg Cab 4WD	6.7L V-8 TD	32,000 h
F-350 Reg Cab 4WD	6.7L V-8 TD	35,400 k*
F-350 Reg Cab 4WD	7.3L V-8	16,700 i
F-350 Reg Cab 4WD	7.3L V-8	20,700 i
F-450 Reg Cab 4WD	6.7L V-8 TD	36,400 i*

F-350 SUPERCAB DRW FIFTH-WHEEL/GOOSENECK TOWING

F-350 SuperCab 2WD	6.2L V-8	12,700 i
F-350 SuperCab 2WD	6.2L V-8	16,200 i
F-350 SuperCab 2WD	6.7L V-8 TD	32,000 h
F-350 SuperCab 2WD	6.7L V-8 TD	35,400 k*
F-350 SuperCab 2WD	7.3L V-8	16,700 i
F-350 SuperCab 2WD	7.3L V-8	20,700 i
F-350 SuperCab 4WD	6.2L V-8	12,300 i
F-350 SuperCab 4WD	6.2L V-8	15,800 i
F-350 SuperCab 4WD	6.7L V-8 TD	31,600 h
F-350 SuperCab 4WD	6.7L V-8 TD	35,000 k*
F-350 SuperCab 4WD	7.3L V-8	16,300 i
F-350 SuperCab 4WD	7.3L V-8	20,300 i

F-350/F-450 CREW CAB DRW FIFTH-WHEEL/GOOSENECK TOWING

F-350 CC 2WD	6.2L V-8	12,500 i
F-350 CC 2WD	6.2L V-8	16,000 i
F-350 CC 2WD	6.7L V-8 TD	31,800 h
F-350 CC 2WD	6.7L V-8 TD	35,200 k*
F-350 CC 2WD	7.3L V-8	16,500 i
F-350 CC 2WD	7.3L V-8	20,500 i
F-450 CC 2WD	6.7L V-8 TD	34,600 i*
F-350 CC 4WD	6.2L V-8	12,000 i
F-350 CC 4WD	6.2L V-8	15,500 i
F-350 CC 4WD	6.7L V-8 TD	31,300 h

2020 TOW RATINGS

F-350 CC 4WD	6.7L V-8 TD	34,700 k*
F-350 CC 4WD	7.3L V-8	16,000 i
F-350 CC 4WD	7.3L V-8	20,000 l
F-450 CC 4WD	6.7L V-8 TD	32,600 l*

*Gooseneck tow rating shown. Fifth-wheel tow rating limited to fifth-wheel hitch rating of 32,500 lbs.

Note: F-150/F-250/F-350/F-450 towing capability will be reduced based on trim series, option content and payload. See dealer for details. Maximum loaded trailer weight assumes a towing vehicle with any mandatory options, no cargo, tongue load of 10% (conventional trailer) or kingpin weight of 15% (fifth-wheel trailer), and driver and passenger (150 lbs. each). Weight of additional options, passengers, cargo and hitch must be deducted from this weight.

FUSION

Fusion FWD/AWD	2.0L I-4 TC	2,000
----------------	-------------	-------

RANGER

Ranger	2.3L I-4 TC	3,500
Ranger	2.3L I-4 TC	7,500 t

TRANSIT CARGO VAN LOW ROOF

Transit CV RWB LR RWD	3.5L V-6	5,300 i
Transit CV RWB LR RWD	3.5L V-6	6,400 k
Transit CV RWB LR RWD	3.5L V-6 TC	5,600 f
Transit CV RWB LR RWD	3.5L V-6 TC	6,900 i
Transit CV RWB LR RWD	2.0L I-4 TD	4,800 f*
Transit CV RWB LR RWD	2.0L I-4 TD	7,500 i*
Transit CV RWB LR AWD	3.5L V-6	5,000 i
Transit CV RWB LR AWD	3.5L V-6	6,100 k
Transit CV RWB LR AWD	3.5L V-6 TC	5,300 f
Transit CV RWB LR AWD	3.5L V-6 TC	6,600 i
Transit CV LWB LR RWD	3.5L V-6	5,100 i
Transit CV LWB LR RWD	3.5L V-6	6,200 k
Transit CV LWB LR RWD	3.5L V-6 TC	5,500 f
Transit CV LWB LR RWD	3.5L V-6 TC	6,800 i
Transit CV LWB LR RWD	2.0L I-4 TD	4,700 f
Transit CV LWB LR RWD	2.0L I-4 TD	7,500 i
Transit CV LWB LR AWD	3.5L V-6	4,900 i*
Transit CV LWB LR AWD	3.5L V-6	6,000 k*
Transit CV LWB LR AWD	3.5L V-6 TC	5,200 f*
Transit CV LWB LR AWD	3.5L V-6 TC	6,500 i

TRANSIT CARGO VAN MEDIUM ROOF

Transit CV RWB MR RWD	3.5L V-6	5,100 i
Transit CV RWB MR RWD	3.5L V-6	6,200 k
Transit CV RWB MR RWD	3.5L V-6 TC	5,400 f
Transit CV RWB MR RWD	3.5L V-6 TC	6,700 i
Transit CV RWB MR AWD	3.5L V-6	4,900 i
Transit CV RWB MR AWD	3.5L V-6	6,000 k
Transit CV RWB MR AWD	3.5L V-6 TC	5,200 f
Transit CV RWB MR AWD	3.5L V-6 TC	6,500 i
Transit CV LWB MR RWD	3.5L V-6	5,000 i
Transit CV LWB MR RWD	3.5L V-6	6,100 k

Transit CV LWB MR RWD	3.5L V-6 TC	5,300 f
Transit CV LWB MR RWD	3.5L V-6 TC	6,600 i
Transit CV LWB MR RWD	2.0L I-4 TD	4,600 f
Transit CV LWB MR RWD	2.0L I-4 TD	7,400 i
Transit CV LWB MR AWD	3.5L V-6	4,800 i
Transit CV LWB MR AWD	3.5L V-6	5,900 k
Transit CV LWB MR AWD	3.5L V-6 TC	5,100 f
Transit CV LWB MR AWD	3.5L V-6 TC	6,400 i

TRANSIT CARGO VAN HIGH ROOF

Transit CV LWB HR RWD	3.5L V-6	4,900 i
Transit CV LWB HR RWD	3.5L V-6	6,000 k
Transit CV LWB HR RWD	3.5L V-6 TC	5,200 f
Transit CV LWB HR RWD	3.5L V-6 TC	6,500 i
Transit CV LWB HR RWD	2.0L I-4 TD	4,400 f*
Transit CV LWB HR RWD	2.0L I-4 TD	7,200 i*
Transit CV LWB HR AWD	3.5L V-6	4,700 i
Transit CV LWB HR AWD	3.5L V-6	5,800 k
Transit CV LWB HR AWD	3.5L V-6 TC	5,000 f*
Transit CV LWB HR AWD	3.5L V-6 TC	6,300 i
Transit CV LWB HR Ext RWD	3.5L V-6	4,700 i
Transit CV LWB HR Ext RWD	3.5L V-6	5,800 k
Transit CV LWB HR Ext RWD	3.5L V-6 TC	5,000 f
Transit CV LWB HR Ext RWD	3.5L V-6 TC	6,300 i
Transit CV LWB HR Ext RWD	3.5L V-6 TC	6,500 i*
Transit CV LWB HR Ext RWD	2.0L I-4 TD	4,200 f
Transit CV LWB HR Ext RWD	2.0L I-4 TD	7,000 i
Transit CV LWB HR Ext AWD	3.5L V-6	4,700 i
Transit CV LWB HR Ext AWD	3.5L V-6	5,800 k
Transit CV LWB HR Ext AWD	3.5L V-6 TC	4,800 f
Transit CV LWB HR Ext AWD	3.5L V-6 TC	6,100 i

*250 models only

TRANSIT CONNECT

Transit Connect Van/Wagon	2.0L I-4	2,000 t
---------------------------	----------	---------

TRANSIT CREW VAN LOW ROOF

Transit CrV RWB LR RWD	3.5L V-6	4,900 i
Transit CrV RWB LR RWD	3.5L V-6	6,000 k
Transit CrV RWB LR RWD	3.5L V-6 TC	5,200 f
Transit CrV RWB LR RWD	3.5L V-6 TC	6,500 i
Transit CrV RWB LR AWD	3.5L V-6	4,700 i
Transit CrV RWB LR AWD	3.5L V-6	5,800 k
Transit CrV RWB LR AWD	3.5L V-6 TC	5,000 f
Transit CrV RWB LR AWD	3.5L V-6 TC	6,300 i
Transit CrV LWB LR RWD	3.5L V-6	4,800 i
Transit CrV LWB LR RWD	3.5L V-6	5,900 k
Transit CrV LWB LR RWD	3.5L V-6 TC	6,400 i
Transit CrV LWB LR RWD	2.0L I-4 TD	7,100 i*
Transit CrV LWB LR AWD	3.5L V-6	4,500 i
Transit CrV LWB LR AWD	3.5L V-6	5,700 k
Transit CrV LWB LR AWD	3.5L V-6 TC	6,200 i

TRANSIT CREW VAN MEDIUM ROOF

Transit CrV RWB MR RWD	3.5L V-6	4,800 i
Transit CrV RWB MR RWD	3.5L V-6	5,900 k
Transit CrV RWB MR RWD	3.5L V-6 TC	5,100 f
Transit CrV RWB MR RWD	3.5L V-6 TC	6,400 i
Transit CrV RWB MR AWD	3.5L V-6	4,600 i
Transit CrV RWB MR AWD	3.5L V-6	5,700 k
Transit CrV RWB MR AWD	3.5L V-6 TC	4,900 f
Transit CrV RWB MR AWD	3.5L V-6 TC	6,200 i
Transit CrV LWB MR RWD	3.5L V-6	4,700 i
Transit CrV LWB MR RWD	3.5L V-6	5,800 k
Transit CrV LWB MR RWD	2.0L I-4 TD	7,000 i*
Transit CrV LWB MR AWD	3.5L V-6	4,400 i
Transit CrV LWB MR AWD	3.5L V-6	5,500 k
Transit CrV LWB MR AWD	3.5L V-6 TC	6,100 i

TRANSIT CREW VAN HIGH ROOF

Transit CrV 150/250 LWB HR RWD	3.5L V-6	4,600 i
Transit CrV 150/250 LWB HR RWD	3.5L V-6	5,700 k
Transit CrV 150/250 LWB HR RWD	3.5L V-6 TC	6,200 i
Transit CrV 150/250 LWB HR RWD	2.0L I-4 TD	6,900 i*
Transit CrV 150/250 LWB HR AWD	3.5L V-6	4,300 i
Transit CrV 150/250 LWB HR AWD	3.5L V-6	5,400 k
Transit CrV 150/250 LWB HR AWD	3.5L V-6 TC	6,000 i
Transit CrV 350 LWB HR RWD	3.5L V-6	4,600 i
Transit CrV 350 LWB HR RWD	3.5L V-6	5,700 k
Transit CrV 350 LWB HR AWD	3.5L V-6	4,300 i
Transit CrV 350 LWB HR AWD	3.5L V-6	5,400 k
Transit CrV 350 HR Ext RWD	3.5L V-6	5,300 k
Transit CrV 350 HR Ext RWD	3.5L V-6 TC	6,200 i
Transit CrV 350 HR Ext AWD	3.5L V-6	5,000 k
Transit CrV 350 HR Ext AWD	3.5L V-6 TC	5,900 i

*Not available on 150 models

TRANSIT PASSENGER VAN LOW ROOF

Transit PV 150 RWB LR RWD	3.5L V-6	4,600 i
Transit PV 150 RWB LR AWD	3.5L V-6	4,400 i
Transit PV 350 LWB LR RWD	3.5L V-6	4,200 i
Transit PV 350 LWB LR RWD	3.5L V-6	4,500 k
Transit PV 350 LWB LR RWD	3.5L V-6 TC	4,500 f
Transit PV 350 LWB LR RWD	3.5L V-6 TC	4,400 i
Transit PV 350 LWB LR RWD	2.0L I-4 TD	3,700 f
Transit PV 350 LWB LR RWD	2.0L I-4 TD	4,200 i
Transit PV 350 LWB LR AWD	3.5L V-6	4,000 i
Transit PV 350 LWB LR AWD	3.5L V-6	4,300 k
Transit PV 350 LWB LR AWD	3.5L V-6 TC	4,300 f
Transit PV 350 LWB LR AWD	3.5L V-6 TC	4,200 i

TRANSIT PASSENGER VAN MEDIUM ROOF

Transit PV 150 RWD MR AWD	3.5L V-6	4,200 i
Transit PV 350 LWB MR RWD	3.5L V-6	4,100 i
Transit PV 350 LWB MR RWD	3.5L V-6	4,400 k

Transit PV 350 LWB MR RWD	3.5L V-6 TC	4,400 f
Transit PV 350 LWB MR RWD	3.5L V-6 TC	4,300 i
Transit PV 350 LWB MR RWD	2.0L I-4 TD	3,600 f
Transit PV 350 LWB MR RWD	2.0L I-4 TD	4,100 i
Transit PV 350 LWB MR AWD	3.5L V-6	3,800 i
Transit PV 350 LWB MR AWD	3.5L V-6	4,100 k
Transit PV 350 LWB MR AWD	3.5L V-6 TC	4,200 f
Transit PV 350 LWB MR AWD	3.5L V-6 TC	4,100 i

TRANSIT PASSENGER VAN HIGH ROOF

Transit PV 350 LWB HR RWD	3.5L V-6	3,900 i
Transit PV 350 LWB HR RWD	3.5L V-6	4,200 k
Transit PV 350 LWB HR RWD	3.5L V-6 TC	4,300 f
Transit PV 350 LWB HR RWD	3.5L V-6 TC	4,200 i
Transit PV 350 LWB HR RWD	2.0L I-4 TD	3,400 f
Transit PV 350 LWB HR RWD	2.0L I-4 TD	3,900 i
Transit PV 350 LWB HR AWD	3.5L V-6	3,700 i
Transit PV 350 LWB HR AWD	3.5L V-6	4,000 k
Transit PV 350 LWB HR AWD	3.5L V-6 TC	4,000 f
Transit PV 350 LWB HR AWD	3.5L V-6 TC	3,900 i
Transit PV 350 HR Ext RWD	3.5L V-6	3,400 i
Transit PV 350 HR Ext RWD	3.5L V-6	3,700 k
Transit PV 350 HR Ext RWD	3.5L V-6 TC	3,600 i
Transit PV 350 HR Ext RWD	2.0L I-4 TD	3,400 i
Transit PV 350 HR Ext AWD	3.5L V-6 TC	3,300 i

HONDA

Odyssey	3.5L V-6	3,500 t
Passport 2WD	3.5L V-6	3,500 t
Passport AWD	3.5L V-6	5,000 t
Pilot 2WD	3.5L V-6	3,500 t
Pilot AWD	3.5L V-6	5,000 t
Ridgeline 2WD	3.5L V-6	3,500 t
Ridgeline AWD	3.5L V-6	5,000 t

HYUNDAI

Palisade	3.8L V-6	5,000
Santa Fe	2.4L I-4	2,000
Santa Fe Sport	2.0L I-4 TC	3,500
Santa Fe XL	3.3L V-6	5,000
Tucson	2.4L I-4	2,000

INFINITI

QX50 AWD	2.0L I-4 TC	3,000 t
QX60	3.5L V-6	5,000
QX80	5.6L V-8	8,500

JEEP

Cherokee	2.0L I-4 TC	2,000
Cherokee	2.0L I-4 TC	4,000 t
Cherokee	2.4L I-4	2,000 t
Cherokee	3.2L V-6	2,000
Cherokee	3.2L V-6	4,500 t

2020 TOW RATINGS

Compass 4WD	2.4L I-4	2,000
Gladiator Overland	3.6L V-6	4,000 m6,i
Gladiator Overland	3.6L V-6	6,000 a8,i
Gladiator Rubicon	3.6L V-6	4,500 m6,k
Gladiator Rubicon	3.6L V-6	7,000 a8,k
Gladiator Sport	3.6L V-6	4,000 m6,i
Gladiator Sport	3.6L V-6	4,500 a8,i
Gladiator Sport	3.6L V-6	6,000 a8,k
Gladiator Sport	3.6L V-6	7,650 a8,k t
Grand Cherokee 2WD/4WD	3.6L V-6	6,200
Grand Cherokee 4WD	5.7L V-8	7,200
Grand Cherokee 4WD	6.4L V-8	7,200
Grand Cherokee 4WD	6.2L V-8 SC	7,200
Renegade 4WD	2.4L I-4	2,000
Wrangler	2.0L I-4 TC	2,000
Wrangler	2.0L I-4 TC	4,000 t
Wrangler	2.4L I-4	2,000 t
Wrangler	3.2L V-6	2,000
Wrangler	3.2L V-6	4,500 t

KIA

Sedona	3.3L V-6	3,500
Sorento FWD/AWD	2.4L I-4	2,000
Sorento FWD	3.3L V-6	3,500
Sorento AWD	3.3L V-6	5,000
Sportage FWD/AWD	All	2,000
Telluride FWD/AWD	3.8L V-6	5,000

LAND ROVER

Land Rover Defender	All	8,201
Land Rover Discovery	3.0L V-6 TD	7,716
Land Rover Discovery	3.0L V-6	8,201
Land Rover Discovery Sport	2.0L I-4 TC	4,409
Range Rover	All	7,716
Range Rover Evoque	2.0L I-4 TC	3,306
Range Rover PHEV	2.0L I-4 TC	5,511
Range Rover Sport	3.0L V-6 TD	7,716
Range Rover Sport	3.0L V-6	7,716
Range Rover Sport HSE Dynamic	5.0L V-8 SC	7,716
Range Rover Sport PHEV	2.0L I-4 TC	5,511
Range Rover Sport SVR	5.0L V-8 SC	6,613
Range Rover Velar	All	5,291

LEXUS

NX 300	2.0L I-4 TC	2,000
RX 350	3.5L V-6	3,500
RX 450h AWD Hybrid	3.5L V-6	3,500
GX 460	4.6L V-8	6,500
LX 570	5.7L V-8	7,000

LINCOLN

Aviator RWD/AWD	3.5L V-6 TC	5,600
Aviator AWD	3.5L V-6 TC	6,700 t

Aviator Grand Touring Hybrid	3.5L V-6 TC	5,600
Corsair	All	3,000
Navigator 2WD	3.5L V-6 TC	6,200
Navigator 2WD	3.5L V-6 TC	8,700 t
Navigator 4WD	3.5L V-6 TC	6,200
Navigator 4WD	3.5L V-6 TC	8,300 t
Navigator L 2WD	3.5L V-6 TC	6,600
Navigator L 2WD	3.5L V-6 TC	8,400 t
Navigator L 4WD	3.5L V-6 TC	6,600
Navigator L 4WD	3.5L V-6 TC	8,100 t

MAZDA

CX5	2.5L I-4	2,000
CX5	2.5L I-4 TC	2,000
CX9	2.5L I-4 TC	3,500

MERCEDES-BENZ

GLC Coupe	All	3,500
GLC SUV	All	3,500
GLE Coupe	All	7,200
GLE SUV AMG	All	7,200
GLE 350 SUV RWD	3.5L V-6	6,600
GLE 350 4Matic SUV AWD	3.5L V-6	7,200
GLS SUV	All	7,500
G-Class SUV	All	7,000
Sprinter SRW	All	5,000*
Sprinter DRW	All	7,500*

*Maximum tow rating shown. See dealer for rating of specific model/configuration.

MITSUBISHI

Outlander 2WD/4WD	3.0L V-6	3,500
-------------------	----------	-------

NISSAN

Armada	5.6L V-6	8,500
Nissan NV CV	4.0L V-6	6,900 t
Nissan NV CV	5.6L V-8	9,400 t
Nissan NV PV	4.0L V-6	6,200 t
Nissan NV PV	5.6L V-8	8,700 t
Pathfinder	3.5L V-6	6,000

FRONTIER

Frontier S CC 2WD	4.0L V-6	6,640 m
Frontier S CC 2WD	4.0L V-6	6,620 a
Frontier SV CC 2WD	4.0L V-6	6,640
Frontier SV CC LWB 2WD	4.0L V-6	6,500
Frontier S CC 4WD	4.0L V-6	6,370
Frontier SV CC 4WD	4.0L V-6	6,380
Frontier SV CC LWB 4WD	4.0L V-6	6,250
Frontier DR CC 2WD	4.0L V-6	6,620
Frontier SL CC 2WD	4.0L V-6	6,480
Frontier SL CC 5' Bed 4WD	4.0L V-6	6,240
Frontier SL CC 6'1" Bed 4WD	4.0L V-6	6,110
Frontier Pro-4X CC 4WD	4.0L V-6	6,320 m

Frontier Pro-4X CC 4WD	4.0L V-6	6,290 a
Frontier S/SV King Cab 2WD	2.5L I-4	3,790 a
Frontier S/SV King Cab 2WD	2.5L I-4	3,800 m
Frontier SV King Cab 2WD	4.0L V-6	6,720
Frontier SV King Cab 4WD	4.0L V-6	6,510
Frontier DR King Cab 2WD	4.0L V-6	6,690
Frontier Pro-4X King Cab 4WD	4.0L V-6	6,450

TITAN

Titan	5.6L V-8	9,370 t*
Titan XD	5.6L V-8	11,000 t*

*Max ratings shown. Comprehensive ratings not available at press time.

PORSCHE

Cayenne	All	7,700
Macan	All	4,409

RAM

RAM 1500 QUAD CAB

1500 QC Std Bed 2WD	3.6L V-6	6,720 d*
1500 QC Std Bed 2WD	3.6L V-6	7,710 h
1500 QC Std Bed 2WD	3.0L V-6 TD	8,370 d
1500 QC Std Bed 2WD	3.0L V-6 TD	10,070 j
1500 QC Std Bed 2WD	3.0L V-6 TD	12,560 j,t
1500 QC Std Bed 2WD	5.7L V-8	8,520 d
1500 QC Std Bed 2WD	5.7L V-8	11,620 j
1500 QC Std Bed 2WD	5.7L V-8	12,750 j,t
1500 QC Std Bed 4WD	3.6L V-6	7,460 h
1500 QC Std Bed 4WD	3.0L V-6 TD	8,160 d
1500 QC Std Bed 4WD	3.0L V-6 TD	9,860 j
1500 QC Std Bed 4WD	5.7L V-8	8,310 d
1500 QC Std Bed 4WD	5.7L V-8	11,410 j,t

*High Fuel Efficiency (HFE) model

RAM 1500 CREW CAB

1500 CC SB 2WD	3.6L V-6	6,620 d
1500 CC SB 2WD	3.6L V-6	7,620 h
1500 CC SB 2WD	3.0L V-6 TD	8,210 d
1500 CC SB 2WD	3.0L V-6 TD	9,910 j
1500 CC SB 2WD	5.7L V-8	8,440 d
1500 CC SB 2WD	5.7L V-8	11,540 j,t
1500 CC SB 4WD	3.6L V-6	6,410 d
1500 CC SB 4WD	3.6L V-6	7,410 h
1500 CC SB 4WD	3.0L V-6 TD	8,010 d
1500 CC SB 4WD	3.0L V-6 TD	9,710 j
1500 CC SB 4WD	5.7L V-8	8,190 d
1500 CC SB 4WD	5.7L V-8	11,290 j,t
1500 CC Std Bed 2WD	3.6L V-6	6,580 d
1500 CC Std Bed 2WD	3.6L V-6	7,580 h
1500 CC Std Bed 2WD	3.0L V-6 TD	8,250 d
1500 CC Std Bed 2WD	3.0L V-6 TD	9,950 j
1500 CC Std Bed 2WD	5.7L V-8	8,390 d
1500 CC Std Bed 2WD	5.7L V-8	11,490 j,t

1500 CC Std Bed 4WD	3.6L V-6	6,390 d
1500 CC Std Bed 4WD	3.6L V-6	7,390 h
1500 CC Std Bed 4WD	3.0L V-6 TD	7,850 d
1500 CC Std Bed 4WD	3.0L V-6 TD	9,550 j
1500 CC Std Bed 4WD	5.7L V-8	8,200 d
1500 CC Std Bed 4WD	5.7L V-8	11,300 j

Note: Ratings shown are maximum weights for Tradesman model. Higher trim grades may have a reduced tow rating. See dealer for details.

RAM 2500 REGULAR CAB

2500 Reg Cab 2WD	6.4L V-8	15,080 a8,i
2500 Reg Cab 2WD	6.4L V-8	17,580 a8,k
2500 Reg Cab 2WD	6.7L I-6 TD	19,780 a6,i
2500 Reg Cab 4WD	6.4L V-8	14,710 a8,i
2500 Reg Cab 4WD	6.4L V-8	17,210 a8,k
2500 Reg Cab 4WD	6.7L I-6 TD	19,350 a6,i

RAM 2500 CREW CAB

2500 CC SB 2WD	6.4L V-8	14,680 a8,i
2500 CC SB 2WD	6.4L V-8	17,180 a8,k
2500 CC SB 2WD	6.7L I-6 TD	19,370 a6,i
2500 CC SB 4WD	6.4L V-8	14,410 a8,i
2500 CC SB 4WD	6.4L V-8	16,910 a8,k
2500 CC SB 4WD	6.4L V-8	10,620 a8,k*
2500 CC SB 4WD	6.7L I-6 TD	19,040 a6,i
2500 CC LB 2WD	6.4L V-8	14,580 a8,i
2500 CC LB 2WD	6.4L V-8	17,080 a8,k
2500 CC LB 2WD	6.7L I-6 TD	19,200 a6,i
2500 CC LB 4WD	6.4L V-8	14,220 a8,i
2500 CC LB 4WD	6.4L V-8	16,720 a8,k
2500 CC LB 4WD	6.7L I-6 TD	17,390 a6,i

* Power Wagon model

RAM 2500 MEGA CAB

2500 Mega Cab 4WD	6.4L V-8	14,000 a8,i
2500 Mega Cab 4WD	6.4L V-8	16,500 a8,k
2500 Mega Cab 4WD	6.7L I-6 TD	16,520 a6,i

RAM 3500 REGULAR CAB

3500 Reg Cab SRW 2WD	6.4L V-8	14,990 a8,i
3500 Reg Cab SRW 2WD	6.4L V-8	18,210 a8,k
3500 Reg Cab SRW 2WD	6.7L I-6 TD	21,030 a6,i
3500 Reg Cab SRW 2WD	6.7L I-6 TD HO	26,990 a6,j
3500 Reg Cab SRW 4WD	6.4L V-8	14,630 a8,i
3500 Reg Cab SRW 4WD	6.4L V-8	17,130 a8,k
3500 Reg Cab SRW 4WD	6.7L I-6 TD	20,220 a6,i
3500 Reg Cab SRW 4WD	6.7L I-6 TD	22,220 a6,k
3500 Reg Cab SRW 4WD	6.7L I-6 TD HO	26,440 a6,i
3500 Reg Cab DRW 2WD	6.4L V-8	14,710 a8,i
3500 Reg Cab DRW 2WD	6.4L V-8	18,210 a8,k
3500 Reg Cab DRW 2WD	6.7L I-6 TD	20,740 a6,i
3500 Reg Cab DRW 2WD	6.7L I-6 TD	22,740 a6,k
3500 Reg Cab DRW 2WD	6.7L I-6 TD HO	33,700 a6,i

2020 TOW RATINGS

3500 Reg Cab DRW 2WD	6.7L I-6 TD HO	35,100 a6,k
3500 Reg Cab DRW 4WD	6.4L V-8	14,310 a8,i
3500 Reg Cab DRW 4WD	6.4L V-8	17,810 a8,k
3500 Reg Cab DRW 4WD	6.7L I-6 TD	20,220 a6,i
3500 Reg Cab DRW 4WD	6.7L I-6 TD	22,220 a6,k
3500 Reg Cab DRW 4WD	6.7L I-6 TD HO	33,290 a6,i
3500 Reg Cab DRW 4WD	6.7L I-6 TD HO	34,690 a6,k

RAM 3500 CREW CAB

3500 CC SB SRW 2WD	6.4L V-8	14,630 a8,i
3500 CC SB SRW 2WD	6.4L V-8	17,130 a8,k
3500 CC SB SRW 2WD	6.7L I-6 TD	20,590 a6,i
3500 CC SB SRW 2WD	6.7L I-6 TD HO	24,320 a6,i
3500 CC SB SRW 4WD	6.4L V-8	14,300 a8,i
3500 CC SB SRW 4WD	6.4L V-8	16,800 a8,k
3500 CC SB SRW 4WD	6.7L I-6 TD	20,370 a6,i
3500 CC SB SRW 4WD	6.7L I-6 TD HO	24,490 a6,i
3500 CC LB SRW 2WD	6.4L V-8	14,460 a8,i
3500 CC LB SRW 2WD	6.4L V-8	16,690 a8,k
3500 CC LB SRW 2WD	6.7L I-6 TD	20,450 a6,i
3500 CC LB SRW 2WD	6.7L I-6 TD HO	25,650 a6,i
3500 CC LB SRW 4WD	6.4L V-8	13,710 a8,i
3500 CC LB SRW 4WD	6.4L V-8	17,210 a8,k
3500 CC LB SRW 4WD	6.7L I-6 TD	20,110 a6,i
3500 CC LB SRW 4WD	6.7L I-6 TD HO	25,150 a6,i
3500 CC LB DRW 2WD	6.4L V-8	14,080 a8,i
3500 CC LB DRW 2WD	6.4L V-8	17,580 a8,i
3500 CC LB DRW 2WD	6.7L I-6 TD	20,000 a6,i
3500 CC LB DRW 2WD	6.7L I-6 TD	22,000 a6,k
3500 CC LB DRW 2WD	6.7L I-6 TD HO	33,080 a6,i
3500 CC LB DRW 2WD	6.7L I-6 TD HO	34,480 a6,k
3500 CC LB DRW 4WD	6.4L V-8	13,710 a8,i
3500 CC LB DRW 4WD	6.4L V-8	17,210 a8,k
3500 CC LB DRW 4WD	6.7L I-6 TD	19,670 a6,i
3500 CC LB DRW 4WD	6.7L I-6 TD	21,670 a6,k
3500 CC LB DRW 4WD	6.7L I-6 TD HO	32,370 a6,i
3500 CC LB DRW 4WD	6.7L I-6 TD HO	34,130 a6,k

RAM 3500 MEGA CAB

3500 Mega Cab SRW 4WD	6.4L V-8	14,050 a8,i
3500 Mega Cab SRW 4WD	6.4L V-8	16,550 a8,k
3500 Mega Cab SRW 4WD	6.7L I-6 TD	19,860 a6,i
3500 Mega Cab SRW 4WD	6.7L I-6 TD HO	24,060 a6,i
3500 Mega Cab DRW 4WD	6.4L V-8	13,660 a8,i
3500 Mega Cab DRW 4WD	6.4L V-8	17,160 a8,k
3500 Mega Cab DRW 4WD	6.7L I-6 TD	19,500 a6,i
3500 Mega Cab DRW 4WD	6.7L I-6 TD	21,500 a6,k
3500 Mega Cab DRW 4WD	6.7L I-6 TD HO	32,550 a6,i
3500 Mega Cab DRW 4WD	6.7L I-6 TD HO	33,020 a6,k

RAM PROMASTER

ProMaster CV	All	6,800 t
ProMaster City CV	2.4L I-4	2,000

SUBARU

Ascent	2.4L H-4 TC	2,000
Ascent	2.4L H-4 TC	5,000 t
Outback	2.5L H-4	2,700
Outback	2.4L H-4 TC	3,500

TOYOTA

4Runner	4.0L V-6	5,000
Highlander	3.5L V-6	5,000
Highlander Hybrid	3.5L V-6	3,500
Land Cruiser	5.7L V-8	8,100
Sienna	3.5L V-6	3,500
Sequoia SR5 2WD	5.7L V-8	7,400
Sequoia SR5 4WD	5.7L V-8	7,100
Sequoia TRD Sport 2WD	5.7L V-8	7,400
Sequoia TRD Sport 4WD	5.7L V-8	7,100
Sequoia Limited 2WD	5.7L V-8	7,400
Sequoia Limited 4WD	5.7L V-8	7,100
Sequoia Platinum 2WD	5.7L V-8	7,200
Sequoia Platinum 4WD	5.7L V-8	7,000
TRD Pro 4WD	5.7L V-8	7,100

TACOMA

Tacoma Access Cab 2WD	2.7L I-4	3,500
Tacoma Access Cab 2WD	3.5L V-6	6,800 t
Tacoma Access Cab 4WD	2.7L I-4	3,500
Tacoma Access Cab 4WD	3.5L V-6	6,500 t
Tacoma DC 2WD	2.7L I-4	3,500
Tacoma DC SB 2WD	3.5L V-6	6,700 t
Tacoma DC LB 2WD	3.5L V-6	6,600 t
Tacoma DC 4WD	3.5L V-6	6,400 t

TUNDRA

Tundra DC 2WD	5.7L V-8	10,200
Tundra DC 4WD	5.7L V-8	10,000
Tundra CrewMax 2WD	5.7L V-8	10,100
Tundra CrewMax 4WD	5.7L V-8	9,800

Note: Maximum ratings shown. Ratings may vary depending on specific model and equipment selected. See dealer for details.

VOLKSWAGEN

Atlas	2.0L I-4 TC	2,000
Atlas	3.6L V-6	5,000 t

VOLVO

S60	All	2,000
S90	All	2,000
V60	All	2,000
V90 T5 FWD	All	2,000
V90 T6 AWD	All	3,500
XC60	All	3,500
XC90 FWD	All	4,000
XC90 AWD	All	5,000